

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017

Page 1 / 14

Version 06. Supersedes version: 05

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

FAG Arcanol LOAD400

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Mr. Mark Ciechanowicz
49 Frenchs Forest Road, Level 1, Building 8,
2086 Frenchs Forest / AUSTRALIA
Phone +612 8977 1058
Fax +612 9452 4242
E-mail Mark.Ciechanowicz@schaeffler.com

Address enquiries to

Technical information

Mark.Ciechanowicz@schaeffler.com

Safety Data Sheet

sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body

+49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017
Version 06. Supersedes version: 05

Page 2 / 14

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms	none
Signal word	none
Hazard statements	none
Precautionary statements	none
Special labelling	AUH210 Safety data sheet available on request.

2.3 Other hazards

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
5 - < 10	Polysulfides, di-tert-dodecyl
	CAS: 68425-15-0, EINECS/ELINCS: 270-335-7
	GHS/CLP: Aquatic Chronic 4: H413

Comment on component parts

All chemical substances in this material are included on or exempted from listing on the IECSC Inventory.
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017

Page 3 / 14

Version 06. Supersedes version: 05

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice immediately. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Note: High Pressure Applications
Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing Carbon dioxide.
Water spray jet.
Dry powder.
Foam.

Extinguishing media that must not be used Full water jet.

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017
Version 06. Supersedes version: 05

Page 4 / 14

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon dioxide (CO₂)
Carbon monoxide (CO).
Sulphur oxides (SO_x).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
Cool containers at risk with water spray jet.

Hazchem Code

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
No special measures necessary if used correctly.
Keep away from open flames, hot surfaces and sources of ignition.
Wash hands before breaks and after work.
Use barrier skin cream.
Do not eat, drink or smoke when using this product.

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017
Version 06. Supersedes version: 05

Page 5 / 14

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with oxidizing agents.
Do not store together with food and animal food/diet.
Keep container tightly closed.
Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with
occupational exposure
limits to be monitored (AU)

not applicable

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017

Page 6 / 14

Version 06. Supersedes version: 05

8.2 Exposure controls

Additional advice on system design	<p>Ensure adequate ventilation on workstation.</p> <p>General exposure limit for oil mist should be noted.</p> <p>Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.</p>
Eye protection	<p>If there is a risk of splashing:</p> <p>Safety glasses. (EN 166:2001)</p>
Hand protection	<p>The details concerned are recommendations. Please contact the glove supplier for further information.</p> <p>In full contact:</p> <p>> 0,35mm: Nitrile rubber, >240 min (EN 374-1/-2/-3).</p>
Skin protection	<p>light protective clothing</p>
Other	<p>Avoid contact with eyes and skin.</p> <p>Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.</p>
Respiratory protection	<p>Not required under normal conditions.</p>
Thermal hazards	<p>not applicable</p>
Delimitation and monitoring of the environmental exposition	<p>Comply with applicable environmental regulations limiting discharge to air, water and soil.</p>

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017

Page 7 / 14

Version 06. Supersedes version: 05

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	Grease
Color	beige
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not determined
Flash point [°C]	> 200°C / >392°F
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	< 1 (25°C / 77,0°F)
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	> 3
Viscosity	not applicable
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	> 180°C/> 356°F
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017

Page 8 / 14

Version 06. Supersedes version: 05

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

If product is heated above decomposition temperature toxic vapours may be released.

10.4 Conditions to avoid

Strong heating.

Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017

Page 9 / 14

Version 06. Supersedes version: 05

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

	Substance
	Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
	LD50, oral, Rat: ca. 20000 mg/kg bw (ECHA).

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017

Page 10 / 14

Version 06. Supersedes version: 05

SECTION 12: Ecological information

12.1 Toxicity

	Substance
	Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
	LC50, (96h), Danio rerio: >100 mg/L (ECHA).

12.2 Persistence and degradability

Behaviour in environment compartments not determined

Behaviour in sewage plant not determined

Biological degradability not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

Restrictions	There are no product-specific restrictions. However, state and local disposal regulations may apply.
Disposal method	Disposal of this product must comply with the requirements of state and local disposal regulations.
Contaminated packaging	Rinse containers with water before disposal. Preferably re-cycle container, otherwise send to landfill or similar.

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017

Page 11 / 14

Version 06. Supersedes version: 05

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG) NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017
Version 06. Supersedes version: 05

Page 12 / 14

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017

Page 13 / 14

Version 06. Supersedes version: 05

SECTION 15: Regulatory information

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) not applicable

Applicable prohibitions and notifications/licensing requirements not applicable

Agricultural and Veterinary Chemicals Act not applicable

Listing in the Australian Inventory of Chemical Substances (AICS) All ingredients are listed.

Additional information not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H413 May cause long lasting harmful effects to aquatic life.

FAG Arcanol LOAD400

Safety Data Sheet (Australia)

Date printed 07.02.2017, Revision 07.02.2017

Page 14 / 14

Version 06. Supersedes version: 05

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 ELINCS = European List of Notified Chemical Substances
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 TLV®/TWA = Threshold limit value – time-weighted average
 TLV®STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position none