

Version 09. Supersedes version: 08

Page 1 / 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

4600 Wels

Scheibenfrostschutz Gemisch -30°C 5L Article number: 2697900005

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Anti-freezing agents

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company Kellner & Kunz AG

Boschstr. 37 4600 Wels / AUSTRIA Phone 0043-7242-484-0 Fax 0043-7242-484-924 Homepage www.reca.co.at E-mail info@reca.co.at

Address enquiries to

Technical information info@reca.co.at
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

**Advisory body** +43 (0) 1 406 43 43 (24h)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Flam. Liq. 3: H226 Flammable liquid and vapour.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms

Signal word WARNING

**Hazard statements** H226 Flammable liquid and vapour.

**Precautionary statements** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/national regulation.

Cleaner, 648/2004/CE, contains: fragrances

2.3 Other hazards

**Environmental hazards** Does not contain any PBT or vPvB substances.

Other hazards none



Version 09. Supersedes version: 08

Page 2 / 10

### **SECTION 3: Composition / Information on ingredients**

#### **Product-type:**

4600 Wels

3.2 The product is a mixture.

Range [%] Substance

25 - <50 Ethanol

CAS: 64-17-5, EINECS/ELINCS: 200-578-6, EU-INDEX: 603-002-00-5, Reg-No.: 01-2119457610-43-XXXX

GHS/CLP: Flam. Liq. 2: H225 - Eye Irrit. 2: H319

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General information** Take off contaminated clothing and wash before reuse.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** In case of contact with skin wash off with warm water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Get medical advice.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

### 4.2 Most important symptoms and effects, both acute and delayed

Headache

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media Alcohol-resistant foam.

Water spray jet. Dry powder. Carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:

Not combusted hydrocarbons. Carbon monoxide (CO).

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.



Version 09. Supersedes version: 08

Page 3 / 10

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from all sources of ignition.

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

## 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Avoid spilling or spraying in enclosed areas.

Use solvent-resistant equipment.

Keep away from all sources of ignition - Refrain from smoking.

Vapours can form an explosive mixture with air.

Ground/bond container and receiving equipment.

Use explosion-proofed equipment/fittings and non-sparkling tools.

Take precautionary measures against static discharges.

Take off contaminated clothing and wash before reuse.

Do not eat, drink, smoke or take drugs at work.

Wash hands before breaks and after work.

Use barrier skin cream.

#### 7.2 Conditions for safe storage, including any incompatibilities

Provide solvent-resistant and impermeable floor.

Prevent penetration into the ground.

Provide floor with bunding.

Do not store together with oxidizing agents.

Protect from heat/overheating.

Keep container in a well-ventilated place.

Keep container tightly closed.

Keep in a cool place.

# 7.3 Specific end use(s)

See product use, SECTION 1.2



Version 09. Supersedes version: 08

Page 4 / 10

### SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Ethanol

CAS: 64-17-5, EINECS/ELINCS: 200-578-6, EU-INDEX: 603-002-00-5, Reg-No.: 01-2119457610-43-XXXX

Long-term exposure: 1000 ppm, 1920 mg/m<sup>3</sup>

DNEL

Substance

Ethanol, CAS: 64-17-5

Industrial, inhalative (vapor), Long-term - systemic effects: 950 mg/m<sup>3</sup>.

Industrial, dermal, Long-term - systemic effects: 343 mg/kg bw/d

general population, inhalative (vapor), Long-term - systemic effects: 114 mg/m³.

general population, dermal, Long-term - systemic effects: 206 mg/kg bw/d.

general population, oral, Long-term - systemic effects: 87 mg/kg bw/d.

**PNEC** 

Substance

Ethanol, CAS: 64-17-5

soil, 0,63 mg/kg

sediment (freshwater), 3,6 mg/kg.

seawater, 0,79 mg/l.

freshwater, 0,96 mg/l

oral (food), 0,38 g/kg.

sediment (seawater), 2,9 mg/kg.

sewage treatment plants (STP), 580 mg/l.

#### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information

0,5 mm Butyl rubber, >480 min (EN 374-1/-2/-3). 0,5 mm Polychloroprene, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Do not inhale gases/vapours/aerosols.

Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards not determined

Delimitation and monitoring of the

environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions.

# Safety Data Sheet 1907/2006/EC - REACH (GB) Scheibenfrostschutz Gemisch -30°C 5L **Article number 2697900005** Kellner & Kunz AG



Date printed 03.12.2019, Revision 02.12.2019

4600 Wels

Version 09. Supersedes version: 08

Page 5 / 10

### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

**Form** liquid Color blue Odor citrus

**Odour threshold** not determined

pH-value ca. 7

pH-value [1%] not determined

Boiling point [°C] ca. 76 Flash point [°C] ca. 25

Flammability (solid, gas) [°C] not determined Lower explosion limit 2,5 Vol.-% Upper explosion limit 13,5 Vol.-%

**Oxidising properties** 

Vapour pressure/gas pressure [kPa] 5,9 (20°C)

Density [g/ml] 0,89 (20 °C / 68,0 °F)

Bulk density [kg/m³] not applicable Solubility in water completely miscible Partition coefficient [n-octanol/water] not determined not determined not determined

Relative vapour density determined

in air

**Evaporation speed** not determined not determined Melting point [°C]

Autoignition temperature [°C] > 363

Decomposition temperature [°C] not applicable

#### 9.2 Other information

none

#### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

See SECTION 10.3.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# 10.3 Possibility of hazardous reactions

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

#### 10.4 Conditions to avoid

See SECTION 7 Strong heating.

#### 10.5 Incompatible materials

not determined

# 10.6 Hazardous decomposition products

Flammable gases/vapours.



Version 09. Supersedes version: 08

Page 6 / 10

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Product

oral. Based on the available information, the classification criteria are not fulfilled.

inhalative, Based on the available information, the classification criteria are not fulfilled.:

dermal, Based on the available information, the classification criteria are not fulfilled.:

Substance

Ethanol, CAS: 64-17-5

LD50, dermal, Rabbit: > 2000 mg/kg (OECD 402).

LD50, oral, Rat: 10470 mg/kg (OECD 401).

LC50, inhalative, Rat: 117-125 mg/l/4h (OECD 403).

NOAEL, Rat: > 3000 mg/kg/d (24 month OECD 451).

Based on the available information, the classification criteria are not fulfilled. Serious eye damage/irritation

> Toxicological data of complete product are not available No classification due to substance-specific concentration limits.

Calculation method

(CAS 64-17-5: C>50%: Eye Irrit. 2: H319)

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled. Respiratory or skin sensitisation

Specific target organ toxicity —

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Mutagenicity Based on the available information, the classification criteria are not fulfilled. Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

Carcinogenicity Based on the available information, the classification criteria are not fulfilled. **Aspiration hazard** Based on the available information, the classification criteria are not fulfilled.

**General remarks** 

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The

toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

### SECTION 12: Ecological information

### 12.1 Toxicity

Based on the available information, the classification criteria are not fulfilled .:

Substance

Ethanol, CAS: 64-17-5

LC50, (96h), Oncorhynchus mykiss: 13000 mg/l (OECD 203).

LC50, (48h), Daphnia magna: 12340 mg/l.

EC50, (72h), Algae: 275 mg/l (OECD 201).

EC50, (48h), Selenastrum capricornutum: 12900 mg/l (OECD 201)

### 12.2 Persistence and degradability

Behaviour in environment

Behaviour in sewage plant

not determined

compartments

not determined

Biological degradability

The product is biodegradable.

www.chemiebuero.de, Phone +49 (0)941-646 353-0, 191122

rer00240 GB



Version 09. Supersedes version: 08

Page 7 / 10

#### 12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

### 12.4 Mobility in soil

not determined

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

Ecotoxicological data are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

Dispose of as hazardous waste. For recycling, consult manufacturer.

070604\*

Contaminated packaging

Waste no. (recommended)

Packaging that cannot be cleaned should be disposed of as for product.

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150110\*

150102

# SECTION 14: Transport information

### 14.1 UN number

Transport by land according to

ADR/RID

1170

Inland navigation (ADN) 1170

Marine transport in accordance with

IMDG

Air transport in accordance with IATA 1170

# Safety Data Sheet 1907/2006/EC - REACH (GB) Scheibenfrostschutz Gemisch -30°C 5L **Article number 2697900005**

Kellner & Kunz AG

4600 Wels

Date printed 03.12.2019, Revision 02.12.2019



Version 09. Supersedes version: 08

Page 8 / 10

### 14.2 UN proper shipping name

Transport by land according to ADR/RID

- Classification Code

- Label

Ethanol solution

- ADR LQ

- ADR 1.1.3.6 (8.6) Transport category (tunnel restriction code) 3 (D/E)

Inland navigation (ADN) Ethanol solution

- Classification Code F1

- Label



Marine transport in accordance with

**IMDG** 

F-E, S-D

Ethanol solution

- EMS - Label

- IMDG LQ

Air transport in accordance with IATA Ethanol solution

- Label



### 14.3 Transport hazard class(es)

Transport by land according to 3

ADR/RID

Inland navigation (ADN) 3

Marine transport in accordance with 3

**IMDG** 

Air transport in accordance with IATA 3

14.4 Packing group

Transport by land according to

ADR/RID

Ш

Inland navigation (ADN) Ш

Marine transport in accordance with III

**IMDG** 

Air transport in accordance with IATA III

Safety Data Sheet 1907/2006/EC - REACH (GB) Scheibenfrostschutz Gemisch -30°C 5L Article number 2697900005 Kellner & Kunz AG 4600 Wels



Date printed 03.12.2019, Revision 02.12.2019

Version 09. Supersedes version: 08

Page 9 / 10

#### 14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not determined

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

Observe employment restrictions for young people.

- VOC (2010/75/CE) 45,34 %

### 15.2 Chemical safety assessment

not applicable

### **SECTION 16: Other information**

# 16.1 Hazard statements (SECTION 03)

H319 Causes serious eye irritation. H225 Highly flammable liquid and vapour. Safety Data Sheet 1907/2006/EC - REACH (GB) Scheibenfrostschutz Gemisch -30°C 5L Article number 2697900005 Kellner & Kunz AG 4600 Wels



Date printed 03.12.2019, Revision 02.12.2019

Version 09. Supersedes version: 08 P

Page 10 / 10

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration

ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

Classification procedure

Flam. Liq. 3: H226 Flammable liquid and vapour. (On basis of test data)

**Modified position** 

SECTION 8 been added: In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection.

SECTION 8 deleted: Respiratory protection mask in the event of high concentrations.

SECTION 12 been added: Ecotoxicological data are not available.

SECTION 12 deleted: Ecological data of complete product are not available.

Copyright: Chemiebüro®